Publikationen Dr. Björn Kröger

submitted.?

Kröger, B., Lefebvre, B. Palaeogeography and palaeoecology of early Floian (Lower Ordovician) cephalopods from the Upper Fezouata Formation, Anti-Atlas, Morocco. submitted July 2011, Fossil Record.

Landing, E., Adrain, J. M., Westrop, S. R. & Kröger, B. Tribes Hill?Rochdale Formations in east Laurentia:proxies for Early Ordovician (Tremadocian) eustasy on a tropical passive margin (New York and west Vermont). submitted December, 2010, Geological Magazine.

in press.?

Slotta, F., Korn, D., Klug, C., Kröger, B. & Keupp, H. Sublethal shell injuries in Late Devonian ammonoids (Cephalopoda) from Kattensiepen (Rhenish Mountains). ? March 2011, Neues Jahrbuch Geologisch Paläontologische Abhandlungen.

Landing, E., Westrop, E., Kröger, B. & English, A., Left behind?delayed extinction and a relict trilobite fauna in the Cambrian-Ordovician boundary succession (east Laurentian platform, New York). ? September, 2010, Geological Magazine.

Kröger, B. Size matters. ? Analysis of repaired shell breakages in endocerid cephalopods. ? submitted September, 2010, Fossil Record.

2011

42. Kröger, B., Vinther, J., Fuchs, D. 2011. Cephalopod origin and evolution: A congruent picture emerging from fossils, development and molecules. ? BioEssays DOI: 10.1002/bies.201100001[link]

41. Kröger, B. & Evans, D. H. 2011. Paleoecological analysis of the late Tremadocian?early Floian (Early Ordovician) cephalopod fauna of the Montagne Noire, France. ? Fossil Record, 14: 35?53.

40. Kröger, B., Ebbestad, J. O.R., Högström, A. E. S., & Frisk, Å., M. 2011. Mass concentration of Hirnantian cephalopods from the Siljan District, Sweden; taxonomy, palaeoecology and palaeobiogeographic relationship. ? Fossil Record, 14: 1?34.

2010

39. Klug, C., Kröger, B., Kiessling, W., Mullins, G., Servais, T., Frýda, J., Korn, D., Turner, S. 2010. The Devonian Nekton Revolution. ? Lethaia 43:465-477.

38. Servais, T., Owen, A.W., Harper, D.A.T., Kröger, B., Munnecke, A. 2010. The Great Ordovician Biodiversification Event (GOBE): the palaeoecological dimension - Palaeogeography, Palaeoclimatology, Palaeoecology, 294: 99-119. [link]

37. Kröger, B. & Landing, E. 2010. Early Ordovician community evolution with eustatic change through the middle Beekmantown Group, northeast Laurentia. ? Palaeogeography, Palaeoclimatology, Palaeoecology, 294, 174?188. [link]

36. Klug, C., Kröger, B., & De Baets, K. 2010. An Early Devonian nonagonal orthoconic from Morocco. 141-146, in: Tanabe, K., Shigeta, Y, Sasaki, T. and Hirano, H. (eds), Cephalopods ? Present and Past.Tokai University Press, Tokyo.

35. Kiessling, W., Nützel, A., Korn, D., Kröger, B., Müller, J. 2010. German Paleontology in the early 21st Century. - Palaeontologica Electronica. 13.1.2E [link]

2009

34. Kröger, B., Servais, T., Zhang Yunbai. The Origin and Initial Rise of Pelagic Cephalopods in the Ordovician. PLoS ONE 4(9): e7262. doi:10.1371/journal.pone.0007262.[link]

33. Kröger, B. & Landing, E. Cephalopods and Paleoenvironments of the Fort Cassin Formation (Upper Lower Ordovician), eastern New York and adjacent Vermont. ? Journal of Paleontology 83:664?693. [link]

32. Kröger, B., Zhang Yunbai, Isakar, M. Discosorids and Oncocerids (Cephalopoda) of the Middle Ordovician Kunda and Aseri Regional Stages of Baltoscandia and the early evolution of these groups. ? Geobios, 42: 273-292. [link]

31. Kröger, B. & Zhang Yunbai, 2009. Pulsed cephalopod diversification during the Ordovician. ? Palaeogeography, Palaeoclimatology, Palaeoecology 273: 174?183. [link]

30. Nielsen, S., Bandel, K. & Kröger, B., 2009. Siphuncular tube and shell ultrastructure of Aturia cubaensis (Cephalopoda, Nautiloidea) from the Cenozoic of Chile with implications for marine climates of the southeastern pacific. ? Geobios 42:73?88. [link]

29. Landing, E. & Kröger, B. 2009. The oldest cephalopods from East Laurentia. ? Journal of Paleontology, 83: 89-93.[link]

2008

29. Kröger, B. 2008. A new genus of middleTremadocian orthoceratoids and the Early Ordovician origin of orthoceratoid cephalopods.? Acta Palaeontologica Polonica, 53: 745-753.[link] [free pdf]

28. Kröger, B. 2008. Nautiloids before and during the ammonoid origin in a Siluro?Devonian section of the Tafilalt (Morocco). ? Special Papers in Palaeontology 79, 110pp.[free pdf/proof version]

27. Klug, C., Kröger, B., Rücklin, M., Korn, D., Schemm-Gregory, M. & Mapes, R. H. 2008. Ecological change during the early Emsian (Devonian) in the Tafilalt (Morocco), the origin of the Ammonoidea, and the firs African pyrgocystid edrioasteroids, machaerids and phyllocarids. ? Palaeontographica, A 283 :. 94 pp., Stuttgart.

26. Kröger, B. & Landing, E. 2008. Onset of the Ordovician cephalopod radiation ? evidence from the Rochdale Formation (middle Lower Ordoviian, Stairsian) in eastern New York. ? Geological Magazine, 145 : 490-520.[link]

2007

25. Landing, E, Franzi, D. A., Hagadorn J. W., Westrop, S. R., Kröger, B. & Dawson, J. 2007. Cambrian of East Laurentia: field workshop in eastern New York and western Vermont. pp. 16?34. In: Landing, E. (ed.), Ediacaran?Ordovician of East Laurentia. New York State Museum Bulletin, 510, 93 pp.

24. Kröger, B. 2007. On the origin of bactritoids. ? Paläontologische Zeitschrift 81: 316?327.[link]

23. Kröger, B. Concentrations of juvenile and small adult cephalopods in the Hirnantian cherts (Late Ordovician) of Porkuni, Estonia. ? Acta Palaeontologica Polonica 52: 591?608.[link] [free pdf]

22. Kröger, B., Beresi, M. S. & Landing, E. Early orthoceratoid cephalopods of the Argentine Precordillera (Early-Middle Ordovician). ?Journal of Paleontology 81 (6): 1266?1283.[link]

21. Kröger, B. & Landing, E. The earliest Ordovician cephalopods of eastern Laurentia ? Ellesmerocerids of the Tribes Hill Formation, eastern New York. ? Journal of Paleontology 81 (5): 841?857.[link]

20. Kröger, B. & Mapes, R. H. Carboniferous actinoceratids (Nautiloidea, Cephalopoda) ? a new perspective. ? Journal of Paleontology 81 (4): 714 ?724.[link]

19. Kröger, B. 2007. Some less known features of the ancient cephalopod order Ellesmerocerida. ? Palaeontology 50 (3): 565?572.

2006

18. Kröger, B. 2006. Early growth stages of Arenigian Baltoscandic Orthocerida Mollusca, Cephalopoda. ? Lethaia 39: 129?139.

17. Kröger, B. & Isakar, M. 2006. Revision of annulated orthoceridan cephalopods of the Baltoscandic Ordovician. ? Fossil Record 9: 139-165.

16. Suttner, T.J. & Kröger, B. 2006. Late Ordovician to Early Silurian Gondwanan cephalopods of the Pin Formation (Spiti, northern India). ? Neues Jahrbuch Geologie Paläontologie, Monatshefte 2006 (10): 595-612.

2005

15. Kröger, B. 2005. Adaptive evolution in Paleozoic coiled Cephalopods. ?Paleobiology 31: 253?268.

14. Kröger, B., Klug, C. & Mapes, R. H. 2005. Soft-tissue attachment in non-ammonoid cephalopods of Emsian to Eifelian age Devonian. ? Acta Palaeontologica Polonica 50: 329-342.

13. Kröger, B. & Mapes, R. H. 2005. Revision of some common Carboniferous genera of North American orthoceratid Nautiloids. ? Journal of Paleontology 79: 1002-1111.[link]

12. Kröger, B. & Mutvei, H. 2005. Nautiloids with multiple paired muscle scars from Early - Middle Ordovician of Baltoscandia. ? Palaeontology 48: 781-791.

2004

11. Kröger, B. 2004. Large shell injuries in Middle Ordovician Orthocerida (Nautiloidea, Cephalopoda). ?

GFF 126: 311-316.

10. Kröger, B. 2004. Revision of the Middle Ordovician orthocerataceaen nautiloids from Baltoscandia. ? Acta Palaeontologica Polonica 49: 57-74.

9. Kröger, B. & Keupp, H. 2004. A paradox survival ? report of a repaired syn vivo perforation in a nautiloid phragmocone? ? Lethaia 37: 439-444.

8. Kröger, B. & Mapes, R. H. 2004. Lower carboniferous Chesterian embryonic orthoceratid nautiloids. ? Journal of Paleontology 78: 560-573..[link]

7. Kröger, B. & Mapes R. H. 2004. Soft-body attachment structures on Bactrites arkonensis Whiteaves, 1898 (Bactritida, Cephalopoda) from the Middle Devonian of Ontario, Canada. ? Mitteilungen des Geologisch-Paläontologischen Institut Universität Hamburg 88: 115-124

< 2004

6. Kröger, B. 2003 The size of siphuncle in cephalopod evolution. ? Senckenbergiana lethaea 83: 39-52.

5. Kröger, B. 2002. Antipredatory traits of the ammonoid shell. ? Indications from Jurassic ammonoids with sublethal injuries. ? Paläontologische Zeitschrift 76: 223-234

4. Kröger, B. 2002. On the ability of withdrawing of some Jurassic ammonoids. ? Abhandlungen der Geologischen Bundesanstalt 57: 199-204.

3. Kröger, B. 2002. On the efficiency of the buoyancy apparatus in ammonoids. ? Evidences from sublethal shell injuries. ? Lethaia 35: 31-40.

2. Kröger, B. 2001. Comments on EBEL´s benthic-crawler hypothesis for ammonoids and extinct nautiloids. ? Paläontologischen Zeitschrift 75 3, 123-125.

1. Wiese, F. & Kröger, B. 1998. Evidence for a shallowing event in the Upper Turonian (Cretaceous) Mytiloides scupini Zone of northern Germany. ? Acta Geologica Polonica 48: 265-284